

**DISCLOSURE STATEMENT: SELLER'S
PROPERTY DISCLOSURE STATEMENT**

This form approved by the Minnesota Association of REALTORS®, which disclaims any liability arising out of use or misuse of this form.
© 2016 Minnesota Association of REALTORS®, Edina, MN

1. Date 10-4-2016
2. Page 1 of _____ pages: RECORDS AND
3. REPORTS, IF ANY, ARE ATTACHED AND MADE A
4. PART OF THIS DISCLOSURE

5. THE INFORMATION DISCLOSED IS GIVEN TO THE BEST OF SELLER'S KNOWLEDGE.

6. **NOTICE:** This Disclosure Statement satisfies the disclosure requirements of MN Statutes 513.52 through 513.60.
7. Under Minnesota law, sellers of residential property, with limited exceptions listed on page nine (9), are obligated to
8. disclose to prospective buyers all material facts of which Seller is aware that could adversely and significantly affect
9. an ordinary buyer's use or enjoyment of the property or any intended use of the property of which Seller is aware.
10. MN Statute 513.58 requires Seller to notify buyer in writing as soon as reasonably possible, but in any event before
11. closing, if Seller learns that Seller's disclosure was inaccurate. Seller is obligated to continue to notify Buyer, in writing,
12. of any facts disclosed here (new or changed) of which Seller is aware that could adversely and significantly affect the
13. Buyer's use or enjoyment of the property or any intended use of the property that occur up to the time of closing.
14. Seller has disclosure alternatives allowed by MN Statutes. See *Disclosure Statement: Seller's Disclosure Alternatives*
15. form for further information regarding disclosure alternatives. This disclosure is not a warranty or a guarantee of any
16. kind by Seller or licensee(s) representing or assisting any party in the transaction and is not a substitute for any
17. inspections or warranties the party(ies) may wish to obtain.
18. For purposes of the seller disclosure requirements of MN Statutes 513.52 through 513.60:
19. "Residential real property" or "residential real estate" means property occupied as, or intended to be occupied as, a
20. single-family residence, including a unit in a common interest community as defined in MN Statute 515B.1-103, clause
21. (10), regardless of whether the unit is in a common interest community not subject to chapter 515B.
22. The seller disclosure requirements of MN Statutes 513.52 through 513.60 apply to the transfer of any interest in
23. residential real estate, whether by sale, exchange, deed, contract for deed, lease with an option to purchase, or any
24. other option.
25. **INSTRUCTION TO BUYER:** Buyers are encouraged to thoroughly inspect the property personally or have it inspected
26. by a third party, and to inquire about any specific areas of concern. **NOTE:** If Seller answers NO to any of the questions
27. listed below, it does not necessarily mean that it does not exist on the property, did not occur, or does not apply. NO
28. may mean that Seller is unaware.
29. **INSTRUCTIONS TO SELLER:** (1) Complete this form yourself. (2) Consult prior disclosure statement(s) and/or
30. inspection report(s) when completing this form. (3) Describe conditions affecting the property to the best of your
31. knowledge. (4) Attach additional pages, with your signature, if additional space is required. (5) Answer all questions.
32. (6) If any items do not apply, write "NA" (not applicable).

33. Property located at 1055 Ferndale Rd W

34. City of Orono, County of _____, State of Minnesota.

35. **A. GENERAL INFORMATION:** The following questions are to be answered to the best of Seller's knowledge.

36. (1) What date 1985 1989/1990 did you ☒ **Acquire** ☒ **Build** the home?
(Check one.)

37. (2) Type of title evidence: ☐ Abstract ☒ Registered (Torrens) ☐ Unknown

38. Location of Abstract: _____

39. Is there an existing Owner's Title Insurance Policy? ☒ Yes ☐ No

40. (3) Have you occupied this home continuously during your ownership? ☒ Yes ☐ No

41. If "No," explain: _____

42. (4) Is the home suitable for year-round use? ☒ Yes ☐ No

43. (5) Are you in possession of prior seller's disclosure statement(s)? (If "Yes," please attach.) ☐ Yes ☒ No

44. (6) Does the property include a manufactured home? ☐ Yes ☒ No

45. If "Yes," HUD #(s) is/are _____

46. Has the title been surrendered to the Registrar of Motor Vehicles for cancellation? ☐ Yes ☒ No

DISCLOSURE STATEMENT: SELLER'S
PROPERTY DISCLOSURE STATEMENT

47. Page 2

48. THE INFORMATION DISCLOSED IS GIVEN TO THE BEST OF SELLER'S KNOWLEDGE.

49. Property located at 1055 Ferndale Rd W Orono MN50. (7) Is the property located on a public or a private road? ☒ Public ☐ Private ☐ Public: no maintenance51. (8) **Flood Insurance:** All properties in the state of Minnesota have been assigned a flood zone designation. Some
52. flood zones may require flood insurance.53. (a) Do you know which zone the property is located in? ☐ Yes ☒ No

54. If "Yes," which zone? _____

55. (b) Have you ever had a flood insurance policy? ☐ Yes ☒ No56. If "Yes," is the policy in force? ☐ Yes ☐ No

57. If "Yes," what is the annual premium? \$ _____

58. If "Yes," who is the insurance carrier? _____

59. (c) Have you ever had a claim with a flood insurance carrier or FEMA? ☐ Yes ☒ No

60. If "Yes," please explain: _____

61. _____

62. **NOTE:** Whether or not Seller currently carries flood insurance, it may be required in the future. Flood insurance
63. premiums are increasing, and in some cases will rise by a substantial amount over the premiums
64. previously charged for flood insurance for the property. As a result, Buyer should not rely on the
65. premiums paid for flood insurance on this property previously as an indication of the premiums that
66. will apply after Buyer completes their purchase.

67. Are there any

68. (9) encroachments? ☐ Yes ☒ No69. (10) association, covenants, historical registry, reservations, or restrictions, that affect
70. or may affect the use or future resale of the property? ☐ Yes ☒ No71. (11) governmental requirements or restrictions that affect or may affect the use or future
72. enjoyment of the property (e.g., shoreland restrictions, non-conforming use, etc.)? ☐ Yes ☒ No73. (12) easements, other than utility or drainage easements? ☐ Yes ☒ No

74. (13) Please provide clarification or further explanation for all applicable "Yes" responses in Section A:

75. _____

76. _____

77. **B. GENERAL CONDITION:** To your knowledge, have any of the following conditions previously existed or do they
78. currently exist on the property?

79. (ANSWERS APPLY TO ALL STRUCTURES, SUCH AS GARAGE AND OUTBUILDINGS.)

80. (1) Has there been any damage by wind, fire, flood, hail, or other cause(s)? ☒ Yes ☐ No81. If "Yes," give details of what happened and when: Tree blown down

82. _____

83. (2) Have you ever had an insurance claim(s) against your Homeowner's
84. Insurance Policy? ☒ Yes ☐ No85. If "Yes," what was the claim(s) for (e.g., hail damage to roof)? Lightning, ice dam, water leak

86. _____

87. Did you receive compensation for the claim(s)? ☒ Yes ☐ No88. If you received compensation, did you have the items repaired? ☒ Yes ☐ No89. What dates did the claim(s) occur? 2010 (45,000) 2011 (65,000) 2016 (97,000)

DISCLOSURE STATEMENT: SELLER'S
PROPERTY DISCLOSURE STATEMENT

90. Page 3

91. THE INFORMATION DISCLOSED IS GIVEN TO THE BEST OF SELLER'S KNOWLEDGE.

92. Property located at 1055 Ferndale Rd W Orono MN
93. (3) (a) Has/Have the structure(s) been altered?
 94. (e.g., additions, altered roof lines, changes to load-bearing walls) ☒ Yes ☐ No
 95. If "Yes," please specify what was done, when, and by whom (owner or contractor):
 96. Extensive reconstruction 1989-1990
- 97.
98. (b) Has any work been performed on the property? (e.g., additions to the property, wiring, plumbing,
 99. retaining wall, general finishing) ☒ Yes ☐ No
 100. If "Yes," please explain: see above.
- 101.
102. (c) Are you aware of any work performed on the property for which
 103. appropriate permits were not obtained? ☐ Yes ☒ No
 104. If "Yes," please explain: _____
- 105.
106. (4) Has there been any damage to flooring or floor covering? ☒ Yes ☐ No
 107. If "Yes," give details of what happened and when: water leak in AM bath - carpet
 108. replaced
109. (5) Do you have or have you previously had any pets? ☒ Yes ☐ No
 110. If "Yes," indicate type small dog and number one
111. (6) THE FOUNDATION: The type of foundation is (i.e., block, poured, wood, stone, other):
 112. Block
113. (7) THE BASEMENT, CRAWLSPACE, SLAB:
- | | |
|---|---|
| 114. (a) cracked floor/walls? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | (e) leakage/seepage? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| 115. (b) drain tile problem? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | (f) sewer backup? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| 116. (c) flooding? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | (g) wet floors/walls? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| 117. (d) foundation problem? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | (h) other? _____ <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
118. Give details to any questions answered "Yes": _____
119. _____
120. _____
121. (8) THE ROOF:
122. (a) What is the age of the roofing material?
123. Home: 5 years Garage(s)/Outbuilding(s): 5 years
124. (b) Has there been any interior or exterior damage? ☐ Yes ☒ No
125. (c) Has there been interior damage from ice buildup? ☒ Yes ☐ No
126. (d) Has there been any leakage? ☐ Yes ☒ No
127. (e) Have there been any repairs or replacements made to the roof? ☒ Yes ☐ No
128. Give details to any questions answered "Yes": ice dam -
129. _____

131. THE INFORMATION DISCLOSED IS GIVEN TO THE BEST OF SELLER'S KNOWLEDGE.

132. Property located at 1055 Ferndale Rd W Orono MN

133. (9) THE EXTERIOR AND INTERIOR WALLS/SIDING/WINDOWS:

134. (a) The type(s) of siding is (e.g., vinyl, stucco, brick, other): Brick & Wood

135. (b) cracks/damage? ☐ Yes ☒ No

136. (c) leakage/seepage? ☐ Yes ☒ No

137. (d) other? ☐ Yes ☒ No

138. Give details to any questions answered "Yes":

139.

140. C. APPLIANCES, HEATING, PLUMBING, ELECTRICAL, AND OTHER MECHANICAL SYSTEMS:

141. NOTE: This section refers only to the working condition of the following items. Answers apply to all such
142. items unless otherwise noted in comments below. Personal property is included in the sale ONLY IF
143. specifically referenced in the Purchase Agreement.

144. CHECK "NA" FOR ONLY THOSE ITEMS NOT PHYSICALLY LOCATED ON THE PROPERTY.

Working Order				Working Order			
	Yes	No	NA		Yes	No	NA
146. Air-conditioning.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Propane tank.....	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
148. <input type="checkbox"/> Central <input type="checkbox"/> Wall <input type="checkbox"/> Window				<input type="checkbox"/> Rented <input type="checkbox"/> Owned			
149. Air exchange system.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Range/oven.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
150. Carbon monoxide detector.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Range hood.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
151. Ceiling fan.....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Refrigerator.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
152. Central vacuum.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Security system.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
153. Clothes dryer.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Rented <input checked="" type="checkbox"/> Owned			
154. Clothes washer.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Smoke detectors (battery).....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
155. Dishwasher.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Smoke detectors (hardwired).....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
156. Doorbell.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Solar collectors.....	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
157. Drain tile system.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Sump pump.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
158. Electrical system.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Toilet mechanisms.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
159. Environmental remediation system				Trash compactor.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
160. (e.g., radon, vapor intrusion).....	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	TV antenna system.....	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
161. Exhaust system.....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	TV cable system.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
162. Fire sprinkler system.....	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	TV receiver.....	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
163. Fireplace.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	TV satellite dish.....	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
164. Fireplace mechanisms.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Rented <input type="checkbox"/> Owned			
165. Freezer.....	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Water heater.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
166. Furnace humidifier.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Water purification system.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
167. Garage door auto reverse.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Rented <input checked="" type="checkbox"/> Owned			
168. Garage door opener.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Water softener.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
169. Garage door opener remote.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Rented <input checked="" type="checkbox"/> Owned			
170. Garbage disposal.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Water treatment system.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
171. Heating system (central).....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Rented <input checked="" type="checkbox"/> Owned			
172. Heating system (supplemental).....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Windows.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
173. Incinerator.....	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Window treatments.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
174. Intercom.....	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Wood-burning stove.....	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
175. Lawn sprinkler system.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Other.....	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
176. Microwave.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Other.....	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
177. Plumbing.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Other.....	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
178. Pool and equipment.....	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Other.....	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**DISCLOSURE STATEMENT: SELLER'S
PROPERTY DISCLOSURE STATEMENT**

179. Page 5

180. THE INFORMATION DISCLOSED IS GIVEN TO THE BEST OF SELLER'S KNOWLEDGE.

181. Property located at 1055 Ferndale Rd W Orono MN

182. Are there any items or systems on the property connected or controlled wirelessly, via internet protocol ("IP"), to
183. a router or gateway or directly to the cloud? ☒ Yes ☐ No

184. Comments regarding issues in Section C: _____

185. _____

186. D. SUBSURFACE SEWAGE TREATMENT SYSTEM DISCLOSURE:

187. (A subsurface sewage treatment system disclosure is required by MN Statute 115.55.) (Check appropriate box.)

188. Seller certifies that Seller ☐ DOES ☒ DOES NOT know of a subsurface sewage treatment system on or serving
----- (Check one.) -----

189. the above-described real property. (If answer is **DOES**, and the system does not require a state permit, see
190. *Disclosure Statement: Subsurface Sewage Treatment System*.)

191. ☐ There is an abandoned subsurface sewage treatment system on the above-described real property.

192. (See *Disclosure Statement: Subsurface Sewage Treatment System*.)

193. E. PRIVATE WELL DISCLOSURE: (A well disclosure and Certificate are required by MN Statute 103I.235.)

194. (Check appropriate box.)

195. ☐ Seller certifies that Seller does not know of any wells on the above-described real property.

196. ☒ Seller certifies there are one or more wells located on the above-described real property.

197. (See *Disclosure Statement: Well*.)

198. Are there any wells serving the above-described property that are not located on the
199. property? ☐ Yes ☒ No

200. If "Yes":

201. (1) How many properties or residences does the shared well serve? _____

202. (2) Is there a maintenance agreement for the shared well? ☐ Yes ☐ No

203. If "Yes," what is the annual maintenance fee? \$ _____

204. Is this property in a Special Well Construction Area? ☐ Yes ☐ No

205. F. PROPERTY TAX TREATMENT:

206. **Valuation Exclusion Disclosure** (Required by MN Statute 273.11, Subd. 18.)

207. There ☐ IS ☒ IS NOT an exclusion from market value for home improvements on this property. Any
----- (Check one.) -----

208. valuation exclusion shall terminate upon sale of the property, and the property's estimated market value for
209. property tax purposes shall increase. If a valuation exclusion exists, Buyers are encouraged to look into the
210. resulting tax consequences.

211. Additional comments: _____

212. _____

213. Preferential Property Tax Treatment

214. Is the property subject to any preferential property tax status or any other credits affecting the property?

215. (e.g., Disability, Green Acres, CRP, RIM, Rural Preserve, Veterans' Benefits,

216. Non-Profit Status) ☐ Yes ☒ No

217. If "Yes," would these terminate upon the sale of the property? ☐ Yes ☐ No

218. Explain: _____

219. _____

221. THE INFORMATION DISCLOSED IS GIVEN TO THE BEST OF SELLER'S KNOWLEDGE.

222. Property located at 1055 Ferndale Rd W Orono MN

223. **G. FOREIGN INVESTMENT IN REAL PROPERTY TAX ACT ("FIRPTA"):** Section 1445 of the Internal Revenue Code
224. provides that a transferee ("Buyer") of a United States real property interest must be notified in writing and must
225. withhold tax if the transferor ("Seller") is a foreign person and no exceptions from FIRPTA withholding apply.

226. Seller represents that Seller ☐ IS ☒ IS NOT a foreign person (i.e., a non-resident alien individual, foreign corporation,
----- (Check one.) -----
227. foreign partnership, foreign trust, or foreign estate) for purposes of income taxation. This representation shall
228. survive the closing of any transaction involving the property described here.

229. **NOTE:** If the above answer is "IS," Buyer may be subject to income tax withholding in connection with the
230. transaction (unless the transaction is covered by an applicable exception to FIRPTA withholding). In
231. non-exempt transactions, Buyer may be liable for the tax if Buyer fails to withhold.
232. If the above answer is "IS NOT," Buyer may wish to obtain specific documentation from Seller ensuring
233. Buyer is exempt from the withholding requirements as prescribed under Section 1445 of the Internal
234. Revenue Code.

235. Due to the complexity and potential risks of failing to comply with FIRPTA, including Buyer's responsibility
236. for withholding the applicable tax, Buyer and Seller should **seek appropriate legal and tax advice regarding**
237. **FIRPTA compliance, as the respective licensees representing or assisting either party will be unable to**
238. **assure either party whether the transaction is exempt from the FIRPTA withholding requirements.**

239. **H. METHAMPHETAMINE PRODUCTION DISCLOSURE:**

240. (A Methamphetamine Production Disclosure is required by MN Statute 152.0275, Subd. 2 (m).)

241. ☒ Seller is not aware of any methamphetamine production that has occurred on the property.

242. ☐ Seller is aware that methamphetamine production has occurred on the property.

243. (See Disclosure Statement: Methamphetamine Production.)

244. **I. NOTICE REGARDING AIRPORT ZONING REGULATIONS:** The property may be in or near an airport safety
245. zone with zoning regulations adopted by the governing body that may affect the property. Such zoning regulations
246. are filed with the county recorder in each county where the zoned area is located. If you would like to determine
247. if such zoning regulations affect the property, you should contact the county recorder where the zoned area is
248. located.

249. **J. NOTICE REGARDING CARBON MONOXIDE DETECTORS:** MN Statute 299F.51 requires Carbon Monoxide
250. Detectors to be located within ten (10) feet from all sleeping rooms. Carbon Monoxide Detectors may or may not
251. be personal property and may or may not be included in the sale of the home.

252. **K. CEMETERY ACT:** The following questions are to be answered to the best of Seller's knowledge.

253. MN Statute 307.08 prohibits any damage or illegal molestation of human remains, burials or cemeteries. A person
254. who intentionally, willfully and knowingly destroys, mutilates, injures, disturbs, or removes human skeletal remains
255. or human burial grounds is guilty of a felony.

256. Are you aware of any human remains, burials, or cemeteries located on the property? ☐ Yes ☒ No

257. If "Yes," please explain: _____

258. All unidentified human remains or burials found outside of platted, recorded or identified cemeteries and in
259. contexts which indicate antiquity greater than 50 years shall be dealt with according to the provisions of MN
260. Statute 307.08, Subd. 7.

261. **L. ENVIRONMENTAL CONCERNS:** To your knowledge, have any of the following previously existed or do they
262. currently exist on the property?

263. (1) Animal/Insect/Pest Infestation? ☐ Yes ☒ No (6) Lead? (e.g., paint, plumbing) ☐ Yes ☒ No

264. (2) Asbestos? ☐ Yes ☒ No (7) Mold? ☐ Yes ☒ No

265. (3) Diseased trees? ☐ Yes ☒ No (8) Soil problems? ☐ Yes ☒ No

266. (4) Formaldehyde? ☐ Yes ☒ No (9) Underground storage tanks? ☐ Yes ☒ No

267. (5) Hazardous waste/substances? ☐ Yes ☒ No

268. (10) Other? _____ ☐ Yes ☒ No

270. THE INFORMATION DISCLOSED IS GIVEN TO THE BEST OF SELLER'S KNOWLEDGE.

271. Property located at 1055 Ferndale Rd W Orono MN
272. (11) Have you ever been contacted or received any information from any governmental authority pertaining
273. to possible or actual environmental contamination affecting the property? ☐ Yes ☒ No
274. (12) Are you aware if there are currently, or have previously been, any orders issued on the
275. property by any governmental authority ordering the remediation of a public
276. health nuisance on the property? ☐ Yes ☒ No
277. If answer above is "Yes," Seller certifies that all orders ☐ HAVE ☐ HAVE NOT been vacated.
----- (Check one.) -----
278. (13) Please provide clarification or further explanation for all applicable "Yes" responses in Section L.
279. _____
280. _____

281. M. RADON DISCLOSURE: (The following Seller disclosure satisfies MN Statute 144.496.)

282. RADON WARNING STATEMENT: The Minnesota Department of Health strongly recommends that ALL
283. homebuyers have an indoor radon test performed prior to purchase or taking occupancy, and recommends having
284. the radon levels mitigated if elevated radon concentrations are found. Elevated radon concentrations can easily
285. be reduced by a qualified, certified, or licensed, if applicable, radon mitigator.
286. Every buyer of any interest in residential real property is notified that the property may present exposure to
287. dangerous levels of indoor radon gas that may place occupants at risk of developing radon-induced lung cancer.
288. Radon, a Class A human carcinogen, is the leading cause of lung cancer in nonsmokers and the second leading
289. cause overall. The seller of any interest in residential real property is required to provide the buyer with any
290. information on radon test results of the dwelling.
291. RADON IN REAL ESTATE: By signing this Statement, Buyer hereby acknowledges receipt of the Minnesota
292. Department of Health's publication entitled **Radon in Real Estate Transactions**, which is attached hereto and
293. can be found at www.health.state.mn.us/divs/eh/indoorair/radon/rnrealestateweb.pdf.
294. A seller who fails to disclose the information required under MN Statute 144.496, and is aware of material facts
295. pertaining to radon concentrations in the property, is liable to the Buyer. A buyer who is injured by a violation of MN
296. Statute 144.496 may bring a civil action and recover damages and receive other equitable relief as determined by
297. the court. Any such action must be commenced within two years after the date on which the buyer closed the
298. purchase or transfer of the real property.
299. SELLER'S REPRESENTATIONS: The following are representations made by Seller to the extent of Seller's actual
300. knowledge.
301. (a) Radon test(s) ☐ HAVE ☒ HAVE NOT occurred on the property.
----- (Check one.) -----
302. (b) Describe any known radon concentrations, mitigation, or remediation. **NOTE: Seller shall attach the most**
303. **current records and reports pertaining to radon concentration within the dwelling:**
304. _____
305. _____
306. (c) There ☐ IS ☒ IS NOT a radon mitigation system currently installed on the property.
----- (Check one.) -----
307. If "IS," Seller shall disclose, if known, information regarding the radon mitigation system, including system
308. description and documentation.
309. _____
310. _____

311. EXCEPTIONS: See Section R for exceptions to this disclosure requirement.

313. THE INFORMATION DISCLOSED IS GIVEN TO THE BEST OF SELLER'S KNOWLEDGE.

314. Property located at 1055 Ferndale Rd W Orono MN

315. N. **NOTICES/OTHER DEFECTS/MATERIAL FACTS:** The following questions are to be answered to the best of
316. Seller's knowledge.

317. **Notices:** Seller ☐ HAS ☒ HAS NOT received a notice regarding **any** proposed improvement project from **any**
(Check one.)

318. assessing authorities, the costs of which project may be assessed against the property. If "HAS," please attach
319. and/or explain:

320.

321. **Other Defects/Material Facts:** Are there any other material facts that could adversely and significantly affect an
322. ordinary buyer's use or enjoyment of the property or any intended use of the property? ☐ Yes ☒ No

323. If "Yes," explain:

324.

325. O. **WATER INTRUSION AND MOLD GROWTH:** Studies have shown that various forms of water intrusion affect
326. many homes. Water intrusion may occur from exterior moisture entering the home and/or interior moisture leaving
327. the home.

328. Examples of exterior moisture sources may be:

- 329. • improper flashing around windows and doors,
- 330. • improper grading,
- 331. • flooding,
- 332. • roof leaks.

333. Examples of interior moisture sources may be:

- 334. • plumbing leaks,
- 335. • condensation (caused by indoor humidity that is too high or surfaces that are too cold),
- 336. • overflow from tubs, sinks, or toilets,
- 337. • firewood stored indoors,
- 338. • humidifier use,
- 339. • inadequate venting of kitchen and bath humidity,
- 340. • improper venting of clothes dryer exhaust outdoors (including electrical dryers),
- 341. • line-drying laundry indoors,
- 342. • houseplants—watering them can generate large amounts of moisture.

343. In addition to the possible structural damage water intrusion may do to the property, water intrusion may also result
344. in the growth of mold, mildew, and other fungi. Mold growth may also cause structural damage to the property.
345. Therefore, it is very important to detect and remediate water intrusion problems.

346. Fungi are present everywhere in our environment, both indoors and outdoors. Many molds are beneficial to
347. humans. However, molds have the ability to produce mycotoxins that may have a potential to cause serious health
348. problems, particularly in some immunocompromised individuals and people who have asthma or allergies to
349. mold.

350. To complicate matters, mold growth is often difficult to detect, as it frequently grows within the wall structure. If you
351. have a concern about water intrusion or the resulting mold/mildew/fungi growth, you may want to consider having the
352. property inspected for moisture problems before entering into a purchase agreement or as a condition of your
353. purchase agreement. Such an analysis is particularly advisable if you observe staining or musty odors on the
354. property.

355. P. **NOTICE REGARDING PREDATORY OFFENDER INFORMATION:** Information regarding the predatory
356. offender registry and persons registered with the predatory offender registry under MN Statue 243.166
357. may be obtained by contacting the local law enforcement offices in the community where the property
358. is located or the Minnesota Department of Corrections at (651) 361-7200, or from the Department of
359. Corrections web site at www.corr.state.mn.us.

361. THE INFORMATION DISCLOSED IS GIVEN TO THE BEST OF SELLER'S KNOWLEDGE.

362. Property located at 1055 Ferndale Rd W Orono MN

363. Q. ADDITIONAL COMMENTS:

364.

365. R. MN STATUTES 513.52 THROUGH 513.60: SELLER'S MATERIAL FACT DISCLOSURE:

366. **Exceptions:** The seller disclosure requirements of MN Statutes 513.52 through 513.60 **DO NOT** apply to

- 367. (1) real property that is not residential real property;
- 368. (2) a gratuitous transfer;
- 369. (3) a transfer pursuant to a court order;
- 370. (4) a transfer to a government or governmental agency;
- 371. (5) a transfer by foreclosure or deed in lieu of foreclosure;
- 372. (6) a transfer to heirs or devisees of a decedent;
- 373. (7) a transfer from a co-tenant to one or more other co-tenants;
- 374. (8) a transfer made to a spouse, parent, grandparent, child, or grandchild of Seller;
- 375. (9) a transfer between spouses resulting from a decree of marriage dissolution or from a property agreement incidental to that decree;
- 376. (10) a transfer of newly constructed residential property that has not been inhabited;
- 377. (11) an option to purchase a unit in a common interest community, until exercised;
- 378. (12) a transfer to a person who controls or is controlled by the grantor as those terms are defined with respect to a declarant under section 515B.1-103, clause (2);
- 379. (13) a transfer to a tenant who is in possession of the residential real property; or
- 380. (14) a transfer of special declarant rights under section 515B.3-104.

383. **MN STATUTES 144.496: RADON AWARENESS ACT**

384. The seller disclosure requirements of MN Statute 144.496 DO NOT apply to (1)-(9) and (11)-(14) above. Sellers
385. of newly constructed residential property must comply with the disclosure requirements of MN Statute 144.496.

386. **Waiver:** The written disclosure required under sections 513.52 to 513.60 may be waived if Seller and the
387. prospective Buyer agree in writing. Waiver of the disclosure required under sections 513.52 to 513.60 does not
388. waive, limit, or abridge any obligation for seller disclosure created by any other law.

389. **No Duty to Disclose:**

- 390. (A) There is no duty to disclose the fact that the property
 - 391. (1) is or was occupied by an owner or occupant who is or was suspected to be infected with Human
 - 392. Immunodeficiency Virus or diagnosed with Acquired Immunodeficiency Syndrome;
 - 393. (2) was the site of a suicide, accidental death, natural death, or perceived paranormal activity; or
 - 394. (3) is located in a neighborhood containing any adult family home, community-based residential facility, or
 - 395. nursing home.
- 396. (B) **Predatory Offenders.** There is no duty to disclose information regarding an offender who is required to
397. register under MN Statute 243.166 or about whom notification is made under that section, if Seller, in a timely
398. manner, provides a written notice that information about the predatory offender registry and persons registered
399. with the registry may be obtained by contacting the local law enforcement agency where the property is
400. located or the Department of Corrections.
- 401. (C) The provisions in paragraphs (A) and (B) do not create a duty to disclose any facts described in paragraphs
402. (A) and (B) for property that is not residential property.
- 403. (D) **Inspections.**
 - 404. (1) Except as provided in paragraph (2), Seller is not required to disclose information relating to the real
 - 405. property if a written report that discloses the information has been prepared by a qualified third party
 - 406. and provided to the prospective buyer. For purposes of this paragraph, "qualified third party" means a
 - 407. federal, state, or local governmental agency, or any person whom Seller or prospective buyer reasonably
 - 408. believes has the expertise necessary to meet the industry standards of practice for the type of inspection
 - 409. or investigation that has been conducted by the third party in order to prepare the written report.
 - 410. (2) Seller shall disclose to the prospective buyer material facts known by Seller that contradict any information
 - 411. included in a written report under paragraph (1) if a copy of the report is provided to Seller.

413. THE INFORMATION DISCLOSED IS GIVEN TO THE BEST OF SELLER'S KNOWLEDGE.

414. Property located at 1055 Ferndale Rd W Orono MN

415. **S. SELLER'S STATEMENT:**

416. *(To be signed at time of listing.)*

417. Seller(s) hereby states the facts as stated above are true and accurate and authorizes any licensee(s) representing
418. or assisting any party(ies) in this transaction to provide a copy of this Disclosure Statement to any person or entity
419. in connection with any actual or anticipated sale of the property. A seller may provide this Disclosure Statement
420. to a real estate licensee representing or assisting a prospective buyer. The Disclosure Statement provided to the
421. real estate licensee representing or assisting a prospective buyer is considered to have been provided to the
422. prospective buyer. If this Disclosure Statement is provided to the real estate licensee representing or assisting the
423. prospective buyer, the real estate licensee must provide a copy to the prospective buyer.

424. **Seller is obligated to continue to notify Buyer in writing of any facts that differ from the facts disclosed**
425. **here (new or changed) of which Seller is aware that could adversely and significantly affect the Buyer's**
426. **use or enjoyment of the property or any intended use of the property that occur up to the time of closing.**
427. To disclose new or changed facts, please use the *Amendment to Disclosure Statement* form.

428. Karen E. McCourtney 10-4-20 Karen E. McCourtney 10-4-2016
(Seller) (Date) (Seller) (Date)

429. **T. BUYER'S ACKNOWLEDGEMENT:**

430. *(To be signed at time of purchase agreement.)*

431. I/We, the Buyer(s) of the property, acknowledge receipt of this *Seller's Property Disclosure Statement* and agree
432. that no representations regarding facts have been made other than those made above. This Disclosure Statement
433. is not a warranty or a guarantee of any kind by Seller or licensee(s) representing or assisting any party in the
434. transaction and is not a substitute for any inspections or warranties the party(ies) may wish to obtain.

435. The information disclosed is given to the best of Seller's knowledge.

436. _____
(Buyer) (Date) (Buyer) (Date)

437. **LISTING BROKER AND LICENSEES MAKE NO REPRESENTATIONS HERE AND ARE**
438. **NOT RESPONSIBLE FOR ANY CONDITIONS EXISTING ON THE PROPERTY.**

Radon in Real Estate Transactions

All Minnesota homes can have dangerous levels of radon gas. Radon is a colorless, odorless and tasteless **radioactive gas** that can seep into homes from the soil. When inhaled, it can damage the lungs. Long-term exposure to radon can lead to **lung cancer**. About 21,000 lung cancer deaths each year in the United States are caused by radon.

The only way to know how much radon gas has entered the home is to conduct a radon test. MDH estimates 2 in 5 homes exceed the 4.0 pCi/L action level. Whether a home is old or new, **any home can have high levels of radon**.

The purpose of this publication is to educate and inform potential home buyers of the risks of radon exposure, and how to test for and reduce radon as part of real estate transactions.

Disclosure Requirements



Effective January 1, 2014, the Minnesota Radon Awareness Act requires specific disclosure and education be provided to potential home buyers during residential real estate transactions in Minnesota. **Before signing a purchase agreement to sell or transfer residential real property**, the seller shall provide this publication and shall disclose in writing to the buyer:

1. whether a radon test or tests have occurred on the property;
2. the most current records and reports pertaining to radon concentrations within the dwelling;
3. a description of any radon levels, mitigation, or remediation;
4. information on the radon mitigation system, if a system was installed; and
5. a radon warning statement.

MDH Minnesota
Department of Health


INDOOR AIR UNIT

Radon Facts

How dangerous is radon? Radon is the number one cause of lung cancer in non-smokers, and the second leading cause overall. Your risk for lung cancer increases with higher levels of radon, prolonged exposure, and whether or not you are a current smoker or former smoker.

Where is your greatest exposure to radon? For most Minnesotans, your greatest exposure is at home where radon can concentrate indoors.

What is the recommended action based on my results? If the average radon in the home is at or above 4.0 pCi/L, the home's radon level should be reduced. Also, consider mitigating if radon levels are between 2.0 pCi/L and 3.9 pCi/L. Any amount of radon, even below the recommended action level, carries some risk.



MDH Radon Program

PO Box 64975

St Paul, MN 55164-0975

health.indoor@state.mn.us

www.health.state.mn.us/radon

651-201-4601

800-798-9050

Radon Testing

Any test lasting less than three months requires **closed-house conditions**. Keep all windows and doors closed, except for normal entry and exit.

Before testing: Begin closed-house conditions at least 12 hours before the start of the radon test.

During testing: Maintain closed-house conditions during the entire duration of the short-term test. Operate home heating or cooling systems normally during the test. Test for at least 48 hours.

Where should the test be conducted? Any radon test conducted for a real estate transaction needs to be placed in the lowest livable area of the home suitable for occupancy. This is typically in the basement, whether finished or unfinished.

Place the test kit:

- twenty inches to six feet above the floor
- at least three feet from exterior walls
- four inches away from other objects
- in a location where it won't be disturbed
- not in enclosed areas or areas of high heat or humidity

Radon Mitigation

When elevated levels of radon are found, they can be easily reduced by a certified radon mitigation professional.

Radon mitigation is the process used to reduce radon concentrations in buildings. This is done by drawing soil gas from under the house and venting it above the roof. A quality mitigation system should reduce levels to below 4.0 pCi/L, if not lower.

After a radon mitigation system is installed perform an independent short-term test to ensure the reduction system is effective. Operate the radon system during the entire test. This test will confirm low levels in the home. Be sure to retest the house every two years to confirm continued radon reduction.

Radon Warning Statement

"The Minnesota Department of Health strongly recommends that ALL homebuyers have an indoor radon test performed prior to purchase or taking occupancy, and recommends having the radon levels mitigated if elevated radon concentrations are found. Elevated radon concentrations can easily be reduced by a qualified, certified, or licensed, if applicable, radon mitigator.

Every buyer of any interest in residential real property is notified that the property may present exposure to dangerous levels of indoor radon gas that may place the occupants at risk of developing radon-induced lung cancer. Radon, a Class A human carcinogen, is the leading cause of lung cancer in nonsmokers and the second leading cause overall. The seller of any interest in residential real property is required to provide the buyer with any information on radon test results of the dwelling".

How are radon tests conducted in real estate transactions? There are special protocols for radon testing. The two most common ways to test are either using a calibrated continuous radon monitor (CRM) or two-short term test kits used at the same time. The short-term test kits are placed 4 inches apart and the results are averaged.

Continuous Radon Monitor (CRM)

Fastest



Simultaneous Short-term Testing

Second Fastest



All radon tests should be conducted by a certified professional. This ensures the test was conducted properly, in the correct location, and under appropriate building conditions. A list of these radon measurement professionals can be found at MDH's Radon website. If the seller previously conducted testing in a property at or above 4 pCi/L, the home should be mitigated.

DISCLOSURE STATEMENT: WELL

This form approved by the Minnesota Association of REALTORS®, which disclaims any liability arising out of use or misuse of this form. © 2015 Minnesota Association of REALTORS®, Edina, MN

1. Date _____
2. Page 1 of _____ pages: THE REQUIRED MAP IS
3. ATTACHED HERETO AND MADE A PART HEREOF.

4. Minnesota Statute 103I.235 requires that, before signing an agreement to sell or transfer real property, Seller must
5. disclose information in writing to Buyer about the status and location of all known wells on the property. This requirement
6. is satisfied by delivering to Buyer either a statement by Seller that Seller does not know of any wells on the property,
7. or a disclosure statement indicating the legal description and county, and a map showing the location of each well. In
8. the disclosure statement Seller must indicate, for each well, whether the well is in use, not in use or sealed.
9. Unless Buyer and Seller agree to the contrary in writing, before the closing of the sale, a Seller who fails to disclose
10. the existence or known status of a well at the time of sale, and knew or had reason to know of the existence or known
11. status of the well, is liable to Buyer for costs relating to sealing of the well and reasonable attorneys' fees for collection
12. of costs from Seller, if the action is commenced within six years after the date Buyer closed the purchase of the real
13. property where the well is located.
14. Legal requirements exist relating to various aspects of location and status of wells. Buyer is advised to contact the
15. local unit(s) of government, state agency or qualified professional which regulates wells for further information about
16. these issues.

17. **Instructions for completion of this form are on page three (3).**

18. **PROPERTY DESCRIPTION:** Street Address: 1055 Ferndale Rd W
 19. Orono (City) (Zip) (County)

20. **LEGAL DESCRIPTION:** _____
 21. _____
 22. _____

23. WELL DISCLOSURE STATEMENT: (Check appropriate boxes.)

24.	Seller certifies that the following wells are located on the above described real property.							
25.	MN Unique	Well	Year of	Well	IN USE	NOT IN	SHARED	SEALED
26.	Well No.	Depth	Const.	Type		USE		
27.	Well 1		1990		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
28.	Well 2				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
29.	Well 3				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

30. Is this property served by a well not located on the property? ☐ Yes ☒ No

31. If "Yes," please explain: _____
 32. _____

33. **NOTE: See definition of terms "IN USE," "NOT IN USE," and "SEALED" on lines 102-113. If a well is not in use, it**
 34. **must be sealed by a licensed well contractor or a well owner must obtain a maintenance permit from**
 35. **the Minnesota Department of Health and pay an annual maintenance fee. Maintenance permits are not**
 36. **transferable. If a well is operable and properly maintained, a maintenance permit is not required.**

37. If the well is, "Shared":
38. (1) How many properties or residences does the shared well serve? _____
39. (2) Who manages the shared well? _____
40. (3) Is there a maintenance agreement for the shared well? ☐ Yes ☐ No

41. If "Yes," what is the annual maintenance fee? \$ _____

43. Property located at 1055 Ferndale Rd W Orono MN

44. **OTHER WELL INFORMATION:**

45. Date well water last tested for contaminants: 9-6-16 Test results attached? ☒ Yes ☐ No

46. Contaminated Well: Is there a well on the property containing contaminated water? ☐ Yes ☒ No

47. Comments: _____

48. _____

49. _____

50. _____

51. _____

52. _____

53. _____

54. **SEALED WELL INFORMATION:** For each well designated as sealed above, complete this section.

55. When was the well sealed? _____

56. Who sealed the well? _____

57. Was a Sealed Well Report filed with the Minnesota Department of Health? ☐ Yes ☐ No

58. **MAP: Complete the attached Location Map showing the location of each well on the real property.**

59. This disclosure is not a warranty of any kind by Seller(s) or any licensee(s) representing or assisting any part/(ies) in
60. this transaction and is not a substitute for any inspections or warranties the party(ies) may wish to obtain.

61. **SELLER'S STATEMENT:** *(To be signed at time of listing.)*

62. Seller(s) hereby states that the facts as stated above are true and accurate and authorizes any licensee(s) representing
63. or assisting any party(ies) in this transaction to provide a copy of this Disclosure Statement to any person or entity
64. in connection with any actual or anticipated sale of the property. A seller may provide this Disclosure Statement to
65. a real estate licensee representing or assisting a prospective buyer. The Disclosure Statement provided to the real
66. estate licensee representing or assisting a prospective buyer is considered to have been provided to the prospective
67. buyer. If this Disclosure Statement is provided to the real estate licensee representing or assisting the prospective
68. buyer, the real estate licensee must provide a copy to the prospective buyer.

69. **Seller is obligated to continue to notify Buyer in writing of any facts that differ from the facts disclosed herein**
70. **(new or changed) of which Seller is aware that could adversely and significantly affect the Buyer's use or**
71. **enjoyment of the property or any intended use of the property that occur up to the time of closing.** To disclose
72. new or changed facts, please use the *Amendment to Disclosure Statement* form.

73. Karen McCoin 10-4-20 Steve Courtney 10-4-2016
(Seller) (Date) (Seller) (Date)

74. **BUYER'S ACKNOWLEDGEMENT:** *(To be signed at time of purchase agreement.)*

75. I/We, the Buyer(s) of the property, acknowledge receipt of this *Disclosure Statement: Well and Location Map* and
76. agree that no representations regarding facts have been made other than those made above.

77. _____
(Buyer) (Date) (Buyer) (Date)

78. **LISTING BROKER AND LICENSEES MAKE NO REPRESENTATIONS HEREIN AND ARE**
79. **NOT RESPONSIBLE FOR ANY CONDITIONS EXISTING ON THE PROPERTY.**

81. **INSTRUCTIONS FOR COMPLETING THE WELL DISCLOSURE STATEMENT**

82. **DEFINITION:** A "well" means an excavation that is drilled, cored, bored, washed, driven, dug, jetted or otherwise
83. constructed if the excavation is intended for the location, diversion, artificial recharge or acquisition of groundwater.

84. **MINNESOTA UNIQUE WELL NUMBER:** All new wells constructed AFTER January 1, 1975, should have been
85. assigned a Minnesota unique well number by the person constructing the well. If the well was constructed after this
86. date, you should have the unique well number in your property records. If you are unable to locate your unique well
87. number and the well was constructed AFTER January 1, 1975, contact your well contractor. If no unique well number
88. is available, please indicate the depth and year of construction for each well.

89. **WELL TYPE:** Use one of the following terms to describe the well type.

90. **WATER WELL:** A water well is any type of well used to extract groundwater for private or public use. Examples
91. of water wells are: domestic wells, drive-point wells, dug wells, remedial wells and municipal wells.

92. **IRRIGATION WELL:** An irrigation well is a well used to irrigate agricultural lands. These are typically
93. large-diameter wells connected to a large pressure distribution system.

94. **MONITORING WELL:** A monitoring well is a well used to monitor groundwater contamination. The well is
95. typically used to access groundwater for the extraction of samples.

96. **DEWATERING WELL:** A dewatering well is a well used to lower groundwater levels to allow for construction
97. or use of underground spaces.

98. **INDUSTRIAL/COMMERCIAL WELL:** An industrial/commercial well is a nonpotable well used to extract
99. groundwater for any nonpotable use, including groundwater thermal exchange wells (heat pumps and heat
100. loops).

101. **WELL USE STATUS:** Indicate the use status of each well. CHECK ONLY ONE (1) BOX PER WELL.

102. **IN USE:** A well is "in use" if the well is operated on a daily, regular or seasonal basis. A well in use includes
103. a well that operates for the purpose of irrigation, fire protection or emergency pumping.

104. **NOT IN USE:** A well is "not in use" if the well does not meet the definition of "in use" above and has not been
105. sealed by a licensed well contractor.

106. **SEALED:** A well is "sealed" if a licensed contractor has completely filled a well by pumping grout material
107. throughout the entire bore hole after removal of any obstructions from the well. A well is "capped" if it has
108. a metal or plastic cap or cover which is threaded, bolted or welded into the top of the well to prevent entry
109. into the well. A "capped" well is not a "sealed" well.

110. If the well has been sealed by someone other than a licensed well contractor or a licensed well sealing
111. contractor, check the well status as "not in use."

112. If you have any questions, please contact the Minnesota Department of Health, Well Management Section,
113. at (651) 201-4587 (metropolitan Minneapolis–St. Paul) or 1-800-383-9808 (greater Minnesota).



9399 West Higgins Road Suite 1100
Rosemont, IL 60018

Phone: 847 430 1219
Fax: 847 430 2219

Report Date: 7/27/2016

Page 1 of 4

CERTIFICATE OF ANALYSIS

ANALYSIS NUMBER: 1616660

Control Number: 78984

Culligan Water Conditioning of Minneapolis, Minnesota
6030 Culligan Way
Minnetonka, MN 55345

Customer: Gerald McCourtney
1055 Feindale Rd
Wayzata, MN 55391

Account Number: 22400
Collected By: Tanner Nelson
SAMPLE INFORMATION:

Misc:
cc: adam.johnson@culliganwater.com

Analysis Type Requested:

Standard A + TOC Analysis

Sampled: 7/20/2016
Received: 7/25/2016

Supply/Source:
Sampling Point:

Private Well
Faucet

Condition:
Application:

Untreated Water
Household

ANALYSIS INFORMATION:

Turbidity (180.1 Rev. 2 1993): 12.80 NTU
Conductivity (120.1): 677.30 MMHOS/CM
Color (SM2120C): 25.40
pH (150.1 1982): 7.25

Turbidity after filtration: 5.93
Est. TDS by Conductivity: 428.80
Color after Acidification: <5.00
Tannins: <2.00 mg/L

Concentrations reported as mg/L (PPM) unless otherwise indicated

CATIONS (Method 200.7 Rev 4.4)

	As Element	As CaCO ₃
Calcium (Ca)	87.13	217.83
Magnesium (Mg)	28.63	117.96
Sodium (Na)	10.63	23.17
Potassium (K)	2.54	3.25
Strontium (Sr)	0.29	
Barium (Ba)	0.24	
Iron (Fe)	1.27	
Manganese (Mn)	0.66	
Copper (Cu)	0.027	
Zinc (Zn)	0.11	

ANIONS (Method 300.0)

	As Element	As CaCO ₃
Chloride (Cl)	4.40	6.20
Nitrate As N (NO ₃)	<0.20	0.54
Nitrite As N (NO ₂)	0.33	1.18
Sulfate (SO ₄)	20.25	21.06
Bicarbonate	270.40	329.75
Carbonate	NM	NM
Fluoride (F)	<0.20	0.49
Silica (SiO ₂)	22.42	

	Mg/L	GPG		Mg/L	GPG		Mg/L	GPG
Cations (CaCO ₃)	362.21	21.18	Anions (CaCO ₃)	359.22	21.01	Hardness (CaCO ₃)	335.79	19.64

Additional Tests

Aluminum by ICP <50.00 ug/L
Lead by ICP (Screen) <15.00 ug/L
TOC 1.78 mg/L

Arsenic by ICP (Screen) <10.00 ug/L
Nitrate/Nitrite 0.48 mg/L

*NA = Not Analyzed NM = Not Measured ND = Not Detected

This report can only be reproduced in its entirety. The results reported here are representative of the sample as received in the laboratory. Unless noted holding times for method 300 may not be followed.

NELAP Certifications: IL-100213; PA-68-04623; NY-11756; TX-TX269-2007A
State Certifications: IL-IDPH-17598; CA-2958; MT-CERT0091; IA-369; VT-
VT02199; WI-399016200

Maria Mozdzen
Analytical Lab Manager

Consumer:

FEDERAL SAFE DRINKING WATER ACT

All tested parameters exceeding the maximum concentration levels (MCL) established under the "Federal Safe Drinking Water Act"

	<u>Parameter</u>	<u>Found</u>	<u>MCL</u>
PRIMARY:	Turbidity	12.80 NTU	0.50 NTU
SECONDARY:	Color	25.40	15.00
	Manganese (Mn)	0.66 mg/L	0.05 mg/L
	Iron (Fe)	1.27 mg/L	0.30 mg/L

* MCL for Turbidity varies as follows:

1. Municipal Direct Filtration	0.5 NTU
2. Municipal Sand Filtration	1.0 NTU
3. Unfiltered Water Supply	5.0 NTU

TYPICAL POST RO DRINKING WATER UNITS

(Concentrations reported as mg/L (PPM) as the element)

Calcium (Ca)	1.74	Sulfate (SO4)	0.41
Iron (Fe)	0.03	Magnesium (Mg)	0.57
Manganese (Mn)	0.01	Sodium (Na)	0.21
Zinc (Zn)	0.00	Potassium (K)	0.08
Copper (Cu)	0.00	Chloride (Cl)	0.22
Nitrate As N (NO3)	0.04	Fluoride (F)	0.01
Nitrite As N (NO3)	0.08		

These values are typical of new modules on water with a pH of 7-9 at 70-74 F with 500-3000 mg/L total salts operating with 40-70 PSI pressure across the module. Local conditions may yield different results.

DI CALCULATION FACTORS

			GPG	mg/L
Sodium	6.40%	Weak Base Fact X	1.59	27.26
Alkalinity	91.80%	Carbonic Acid	24.30	415.49
Chloride	22.74%	Cation Fact Y	21.18	362.21
Carbonic Acid	88.12%	Silica	18.60	383.38
Monovalent Ions	1.59%	Carbon Dioxide	2.51	42.87
Silica	5.30%	Strong Base Fact Z	24.73	422.84

Analysis Date:

Method	Date	Method	Date
120.1	7/27/2016	150.1 1982	7/27/2016
180.1 Rev. 2 1993	7/27/2016	200.7 Rev. 4.4	7/27/2016
200.8	7/27/2016	300.0	7/27/2016
SM 2320 B Rev. 18	7/27/2016	SM 5310 C Rev. 18	7/27/2016
SM 5550	7/27/2016	SM2120C	7/27/2016

pH - the acid strength of water on a scale of 0 to 14 (neutral = pH 7.0). Values from 7→0 are increasingly more acidic; values from 7→14 are increasingly more alkaline. The recommended range for drinking water under the U.S. regulations is 6.5 to 8.5.

Conductivity - the relative ability of water to carry an electrical current, used to estimate the total concentration of dissolved ions.

Turbidity - cloudiness in water caused by the dispersion of light by extremely tiny particles. Measured on an arbitrary scale of Nephelometric Turbidity Units (NTUs). The mandatory maximum under U.S. regulations is 0.5 NTU.

Color - the amount of brownish-yellow color from dissolved tannins from vegetation (like tea) and metals (like rust) and their combinations, measured on an arbitrary scale. The recommended maximum under U.S. regulations is 15 CU.

Silica, SiO_2 - a naturally occurring dissolved mineral, which produces a glassy scale in high temperature equipment but is more important in predicting the life of certain water treatment media.

Hydrogen Sulfide, H_2S - a toxic, noxious, corrosive gas that smells like rotten eggs. Bacteria acting on sulfate or organic sulfur-containing materials in the absence of oxygen produce it. Only "special" water analyses can determine hydrogen sulfide levels.

Total Hardness - the sum of all metal ions which react with soap to inhibit sudsing and form "scum" or "bathtub ring" - mostly Calcium and Magnesium. When heated or evaporated, hard water can cause lime scale that can deposit on sink and shower fixtures and walls and result in loss in efficiency or fuel waste in water heaters, boilers, and cooling systems.

Total Alkalinity - the sum of hydroxide (OH^-), carbonate (CO_3^{2-}), and bicarbonate (HCO_3^-) ions, which can combine with both acids and bases, which act to buffer water and prevent sudden uncontrolled changes in pH.

Cations - ions (atoms or molecules with an electrical charge) with a positive (+) electrical charge, so named because they go toward the cathode in an electric field. Besides the hardness ions, the main cations in water are sodium, Na^+ , and potassium, K^+ .

Anions - ions (atoms or molecules with an electrical charge) with a negative (-) electrical charge, so named because they go toward the anode in an electric field. The main anions in water are hydroxide (OH^-), carbonate (CO_3^{2-}), bicarbonate (HCO_3^-) (which together comprise "alkalinity"), sulfate (SO_4^{2-}), nitrate (NO_3^-) and chloride (Cl^-).

Nitrate/Nitrite, $\text{NO}_3^-/\text{NO}_2^-$ - important because of toxicity to infants, nitrate comes from fertilizers and animal wastes. Water supplies with high nitrate levels should also be screened for agricultural pesticides and bacterial contamination. The mandatory limit under U.S. regulations is 10 mg/L.

Sulfate, SO_4^{2-} - a common mineral component, only rarely occurring at excessive levels, which can cause a temporary diarrhea in visitors who have not become acclimated to it. Recommended U.S. limit, 250 mg/L.

Fluoride, F^- - often added to water to inhibit tooth decay. Mandatory U.S. limits range from 4.0 mg/L in northern regions to 1.4 mg/L in southern regions (where more water is consumed).

Chloride, Cl^- - a common mineral component, can be found in elevated levels near seawater and other salt supplies, which can cause taste problems and can contribute to corrosion. Recommended U.S. limit, 250 mg/L.

Iron, Fe - cause of metallic taste, rust stains on laundry and porcelain fixtures, and clogging/fouling of equipment. The recommended U.S. limit is 0.3 mg/L.

Manganese, Mn - cause of metallic taste and black stains on laundry and porcelain. Often occurs in combination with iron. The recommended U.S. limit is 0.05 mg/L Mn or a total of 0.3 mg/L of Fe + Mn.

Copper, Cu - cause of green stains on porcelain and fittings, seldom naturally-occurring, usually due to corrosion. The mandatory U.S. "action level" of 1.3 mg/L is tied to the regulation for lead contamination due to corrosion of plumbing materials.

Zinc, Zn - cause of metallic taste and upset stomach. Due to corrosion of galvanized plumbing materials. Recommended U.S. limit, 5.0 mg/L.

Units of Concentration used in this Report

gpg-abbreviation for "grains per gallon" calculated in terms of calcium carbonate equivalents. Multiply by 17.12 to convert gpg into either ppm or mg/L.

ppm-abbreviation for "parts per million." Interchangeable with mg/L.

mg/L-abbreviation for "milligrams per liter." Interchangeable with ppm. (There are one million milligrams in a liter of pure water).

ppb-abbreviation for "parts per billion." Interchangeable with $\mu\text{g/L}$ or micrograms per liter.

$\mu\text{g/L}$ -abbreviation for "micrograms per liter." Interchangeable with ppb. (There are a billion micrograms in a liter).

1000 ppb = 1 ppm; 1000 $\mu\text{g/L}$ = 1 mg/L

THIS ANALYSIS WILL NOT DETERMINE WHETHER A WATER IS SAFE FOR HUMAN CONSUMPTION

Sample Notes

Incurred 20 dollar fee for improper use of overnight label.

7/26/2016 8:27:40 AM

kbyrdak

A
TOL



1616660

Control Number: 78984

SAMPLE ANALYSIS REQUEST
Culligan International Company Analytical Laboratory
9399 W. Higgins Road Suite 1100
Rosemont, IL 60018

SAMPLE SUBMITTED BY:

Account Number: 22400
Account Name: Culligan MHA
Phone Number: 952-933-7280
E-MAIL: adam.johnson@culliganwater.com
Person Taking Sample: Tanner Nelson
Date Sample Taken: 7/20/16 Time Sample Taken: _____

CUSTOMER INFORMATION:

Customer Name: Gretold McCourthy
Address: 155 Ferndale Rd W
City: Wayzata State: MN Zip: 55391
Customer reported concern: _____

SAMPLE INFORMATION:

Water Supply: Private ☒ Municipal _____
Source: Surface _____ Well ☒ Unknown _____
Condition: Treated _____ Untreated ☒ _____
Sample Point: Faucet ☒ Equipment _____ Other _____
Application: Household ☒ Commercial _____ National Account _____
Comments: _____

ANALYSIS REQUESTED:

Standard Analysis: _____
Standard w/TOC: ☒ _____
Hemodialysis Basic: _____
Hemodialysis Complete: _____
Bacteria: Iron _____ Sulfate _____ Slime _____
Scale Analysis: _____
Resin Analysis: _____
Depth Filter Analysis: _____
Arsenic Filter _____
VOC _____

Special Analysis: (List Analysis Requested): _____

For Questions contact Rick Cook at (847) 430-1284 or Maria Mozdzen at (847) 430-1219

LAB USE ONLY:

Sample received in acceptable condition: Yes _____ No _____ Received by: _____ Date: _____ Time: _____
If not reason: _____
Disposition of sample: _____

Litigation samples are not accepted by the laboratory

Customer: _____ Culligan International Company
Please Sign: _____ By: _____
Please print your name: _____ Its: _____

LOCATION MAP

This form approved by the Minnesota Association of REALTORS®, which disclaims any liability arising out of use or misuse of this form.
© 2009 Minnesota Association of REALTORS®, Edina, MN

1. Page _____ of _____ pages


2. Please use the space below to sketch the real property being sold and, to Seller's knowledge, the approximate location of
3. any of the following on the property.

4. ☐ SUBSURFACE SEWAGE TREATMENT SYSTEM ☒ WELL ☐ METHAMPHETAMINE PRODUCTION AREA
(Check all that apply.)

5. Include approximate distances from fixed reference points such as streets, buildings and landmarks.

6. Property located at 1055 Ferndale Rd W

7. Orono, MN



8. ATTACH ADDITIONAL SHEETS AS NEEDED.

9. Seller and Buyer initial:

[Signature] (Seller) (Date) (Buyer) (Date)

10.

Km (Seller) (Date) (Buyer) (Date)

11. ORIGINAL COPY TO LISTING BROKER; COPIES TO SELLER, BUYER, SELLING BROKER